



DIFFERENT PERSPECTIVES OF PPIE IN CLINICAL RESEARCH

PATIENT INITIATED PROJECT

CAMPUS STIFTUNG LINDENHOF BERN (SLB)


STEPHAN SCHOBINGER, PATIENT & PUBLIC INVOLVEMENT EMPLOYEE

CAMPUS SLB
patient-focused research



STIFTUNGLINDENHOF
Partnerin Schweizerisches Rotes Kreuz +

WHO IS CAMPUS SLB?



- 100% non-profit-orientated subsidiary of the Lindenhof Foundation Bern
- Sister company of the Lindenhof Group (Lindenhof, Sonnenhof and Engeried hospital)
- Supports Lindenhof Group researchers with planning, services, infrastructure and expertise

WHO IS CAMPUS SLB?

EMPLOYEES

- Currently 10 employees
- 12 Patient & Public Involvement employees




Barbara Glauser



Chantal Britt



Stephan Schobinger



Sylvie Kropf



Alexandra Crisafulli



Anita Schobinger



Karoline Siegert



Mareike Blattner



Monika Schneider



Patricia Huber



Erika Schreier




Max Libduner




OUR IDEA: PATIENT INITIATED PROJECT

HOW IT COMES?

- Realisation of the Campus SLB vision
- What is really relevant from the patient's perspective?
- What questions should be answered from the patient's perspective?
- Emphasis / support the importance of PPI



PROCESS



WHAT EXACTLY IS OUR SELECTED PATIENT INITIATED PROJECT?

THE PSYCHO-ONCOLOGICAL INITIAL CONTACT STUDY (PICS)

Title

The impact of a detailed initial contact by a psycho-oncological specialist on the use of psycho-oncological counselling, distress and coping strategies in haemato-oncological cancer patients:

A randomized prospective, monocentric study

Hypothesis

A detailed initial contact by a psycho-oncological specialist increases the use of psycho-oncological counselling and has an effect on the level of suffering and coping strategies



THE PSYCHO-ONCOLOGICAL INITIAL CONTACT STUDY (PICS)

Primary endpoint:


- Use of psycho-oncological counselling, measured by the number of sessions with a psycho-oncological specialist

Secondary endpoints:

- Patient's coping strategies, measured using standardised scales (e.g. Brief COPE Inventory)
- Quality of life, measured using standardised questionnaires (e.g. Distress)

Study design

- Randomized prospective monocentric study



THANK YOU FOR YOUR ATTENTION



WE ARE LOOKING FORWARD TO QUESTIONS IN THE DISCUSSION ROUND AND TO AN EXCITING EXCHANGE